

# TL26.60 Agricultural Telehandler



The Bobcat R-Series TL26.60 Telehandler kicks off the range and is your perfect compact machine for the farm. It features a premium workspace with a large and roomy cab and an all-in-one joystick with improved ergonomics.

[Request a Quote](#)

[Find a Dealer](#)



## TL26.60 Features

[Expand all](#)

- Performance <sup>3</sup>
- Comfort <sup>9</sup>
- Uptime Protection <sup>5</sup>
- Ease of use <sup>1</sup>
- Attachment Versatility <sup>1</sup>

## TL26.60 Specifications

| Key Specifications    |         |
|-----------------------|---------|
| Horsepower            | 100 hp  |
| Maximum Lift Capacity | 2600 kg |
| Operating Weight      | 4780 kg |

| Performance                                       |           |
|---|-----------|
| Maximum lift height(on stabilizers when equipped) | 5 800 mm  |
| Maximum Lift Capacity                             | 2 600 kg  |
| Max forward Reach                                 | 3 100 mm  |
| Crowding force                                    | 4 600 daN |
| Frame tilt angle                                  | - deg     |
| Max Travel Speed- Standard tyre                   | 26,5 km/h |
| Max Travel Speed- on option                       | 31 km/h   |
| Auxiliary Standard Flow                           | 90 l/min  |
| Operating Weight                                  | 4 780 kg  |


  

| Engine     |                    |
|------------|--------------------|
| Model      | PERKINS/1104D-44TA |
| Emissions  | StageIIIA          |
| Horsepower | 100 hp             |

|                      |           |
|----------------------|-----------|
| Maximum Governed RPM | 2 200 RPM |
| Turbocharged Engine  | Yes       |
| Number of Cylinders  | 4 Unit    |
| Engine Cooling       | Water     |
| Engine Fuel          | Diesel    |
| Displacement         | 4 400 cm3 |
| Fuel Tank            | 115 liter |

| Dimension                                     |                                   |
|---|-----------------------------------|
| Standard tyres                                | 405/70-20"                        |
| Overall length to forks face                  | 4 507 mm                          |
| Overall length to front tyres                 | 4 035 mm                          |
| Length from front axle to forks face          | 1 020 mm                          |
| Wheelbase                                     | 2 820 mm                          |
| Length from rear axle to machine rear         | 667 mm                            |
| Overall height std cab                        | "Low cab: 2290 High cab: 2440" mm |
| Ground Clearance                              | 264 mm                            |
| Width over standard tyres                     | 2 100 mm                          |
| Overall width with stabilizers fully deployed | --                                |
| Track width (front & rear)                    | 1 666 mm                          |
| External turning radius at tyres              | 3 717 mm                          |
| Outside width of cab                          | 930 mm                            |
| BPS Lateral amplitude                         | --                                |


## Similar Machines



**TL26.60 Agricultural Telehandler**

The Bobcat R-Series TL26.60 Telehandler gives you the ability to add a various abilities, making it perfect for the farm.


|                              |         |
|------------------------------|---------|
| <b>Horsepower</b>            | 100 hp  |
| <b>Maximum Lift Capacity</b> | 2600 kg |
| <b>Operating Weight</b>      | 4780 kg |



**TL30.60 Agricultural Telehandler**

With an all-in-one joystick, a large cabin, and tons of functionality, the R-Series TL30.60 is the ideal machine for the farm.

|                              |         |
|------------------------------|---------|
| <b>Horsepower</b>            | 100 hp  |
| <b>Maximum Lift Capacity</b> | 3000 kg |
| <b>Operating Weight</b>      | 5180 kg |



**TL35.70 Agricultural Telehandler**

There no other telehandler that offers warranty like the Bocat R-Series TL3!

|                              |  |
|------------------------------|--|
| <b>Horsepower</b>            |  |
| <b>Maximum Lift Capacity</b> |  |
| <b>Operating Weight</b>      |  |

## Related Links

### Parts and Service

[Parts Overview](#) >

[Service Overview](#) >

[Maintenance Videos](#) >

### Need Assistance?

[Request a Demo](#) >

[Find a Local Dealer](#) >

[Frequently Asked Questions](#) >

### Find Related Attachments by Product Type

[All Attachments](#) >

[Service Schedules](#) >

[Warranty Plans](#) >