

**BUILT FOR LIFE.
READY FOR ANYTHING.**

MAHINDRA OJA 1100 & 2100 SERIES



mahindraag.com.au

6 6 YEAR
POWERTRAIN
WARRANTY
MAHINDRA OJA
3 YEAR COMPREHENSIVE WARRANTY

*Refer to www.mahindraag.com.au for the full PDS on our Warranty Terms and Conditions.

SMARTER. TOUGHER.

INTRODUCING THE MAHINDRA OJA 1100 & 2100 SERIES

In today's rapidly changing farming world, staying ahead means being both smarter and tougher. Smart technology boosts efficiency, while a tough build ensures resilience and reliability. The Mahindra OJA 1100 and 2100 Series are built with both in mind; the ultimate subcompact and compact tractor duo designed for your lifestyle.

The OJA 1100 Series is a reliable workhorse, equipped with intelligent features and ergonomically designed operator station, perfect for both newcomers and experienced operators. It's tough enough to handle estate maintenance and small-acreage tasks with ease. Meanwhile, the OJA 2100 Series takes performance to the next level, delivering advanced capabilities and the perfect power-to-weight balance.

From homeowners to professional landscapers, this series is engineered for versatility. Both models ensure fuel efficiency, comfort and reliability that consistently surpass expectations.

No. 1 Tractor
Company
in the world*

*M&M Ltd is the largest tractor company in the world by volume.



1100 & 2100 SERIES

INTELLIGENCE IN ACTION

Efficiency thrives with innovation, and the Mahindra OJA 1100 and 2100 Series offer intuitive features designed to make the day smoother and more productive. Every task becomes easier with their smart features, transforming work into a seamless experience.

CLEVER CAPABILITIES




Car Like Pedal Shift

Car-Like Pedal Shift: Experience effortless gear changes with a system that mimics the ease of driving a car. This reduces operator fatigue and allows greater focus on the task at hand with greater control.



Quiet Power

The OJA Series minimises noise, vibrations and harshness; creating a quiet, productive workspace where work can happen all day without fatigue.



Comfortable Seating

The Seat, paired with standard power steering, ensures unmatched comfort for long hours in the seat; so that no task feels too long or tiring.



Spacious, Clutter-Free Platform

The flat and open design of the platform allows freedom of movement and a safer workspace, enhancing focus without unnecessary obstacles.

CONVENIENCE THAT'S INNOVATIVE




Hydrostatic Transmission

Eliminate gear-shifting with the Hydrostatic Drive System, offering infinite speed control for precise loader work. Colour-coded pedals allow smooth forward and reverse movement, while the joystick ensures fast, accurate handling for maximum efficiency.




Ergonomic Controls

Every lever, knob and pedal is thoughtfully placed and clearly labelled for quick access and effortless operation, reducing fatigue and enhancing efficiency.



Push-Button PTO

Activating rear and mid-implements is a breeze with the touch of a button, making transitions faster and easier. Paired with hydrostatic forward and reverse pedals and an ultra-smooth joystick, this system makes loader & mower work incredibly fast and competent.



Digital Dashboard

Track fuel levels and engine performance in real-time with the digital dashboard, ensuring constant control. This enhances operational efficiency through quick adjustments and informed decisions on the go - especially vital for night-time visibility.



Powered Connectivity

Designed with the operator in mind, the platform offers 12V and USB-A power outlets to help stay connected during long hours in the field.



Fuel-Filling Access

Large, strategically placed fuel tank fillers make refueling simple and efficient, even in tight spots.



Mid PTO Standard

Attach mid-mowers with ease, thanks to the standard mid PTO - adding versatility for a wide range of tasks.



Foldable ROPS

Foldable ROPS enhances maneuverability and offers easy storage, adapting effortlessly.



INDOMITABLE MIGHT




Tilttable Steering

Customisable to fit the operator's posture, the tilttable steering wheel ensures a stress-free ride, even during long, demanding workdays.



Efficient Linkage

The 2100 Series also features a 3-point CAT 1 hitch with lift arm telescoping stabilisers, enabling quick and easy implement hook-up.



Hydraulic Lift Strength

Handle large implements with ease, thanks to the powerful hydraulic system that increases productivity and smooth handling, even with the heaviest loads.



Unmatched Capability

No job is too big or small for OJA tractors. The 1100 Series handles landscaping and trenching with ease, while the 2100 Series tackles heavier tasks like rotary cutting and tilling. With smart implement options and rugged tyre choices for any terrain, OJA is ready for every challenge.

No matter how tough the task, the Mahindra OJA 1100 and 2100 Series are ever-ready to get it done. **Smarter. Tougher.**

FUTURE-READY DESIGN

Sleek, aerodynamic lines and advanced sensors make the OJA Series a modern farming tool that works smarter while looking sharp.



OJA TRACTOR SERIES SPECIFICATIONS

Dimensions	1123 HST	1126 HST
Overall Length	2550mm	2550mm
Overall Width	1177mm	117725mm
Overall Height	2200mm (Raised ROPS)	2200mm (Raised ROPS)
Wheel Base	1400mm	1400mm
Min Ground Clearance	169 + 25mm (Below Rear Housing)	169 + 25mm (Below Rear Housing)
Operating Weight (Approx)*	735Kg	735Kg
Tyres		
Front Tyres (Standard) 4WD	Turf 18 x 8.5-10, IND 18 x 8.5-10	Turf 18 x 8.5-10, IND 18 x 8.5-10
Rear Tyres (Standard) 4WD	Turf 26 x 12-12, IND 26 x 12-12	Turf 26 x 12-12, IND 26 x 12-12
Engine	Four-Stroke, Water Cooled, Natural Aspirated, IDI, Diesel	Four-Stroke, Water Cooled, Natural Aspirated, IDI, Diesel
Model	MVL3E3-W461MM	MVL3E3-461MM
No. of Cylinders	3	3
Displacement	1102cc	1102cc
Engine HP	22.9 @ 2900rpm	25.3 @ 3000rpm
Rated Speed	3000 rpm	3000 rpm
Clutch		
PTO Clutch	Independent Wet Clutch	Independent Wet Clutch
Transmission		
Gearbox Type	HST	HST
No. of Speeds	2 Range HST, Sliding Mesh	2 Range HST, Sliding Mesh
Steering	Hydrostatic Power Steering	Hydrostatic Power Steering
Power Take Off		
Type	Independent Wet Clutch	Independent Wet Clutch
PTO HP (Manufacturers Estimate)	16.8	19.2
Rear PTO RPM @ Rated RPM	540	540
Mid PTO RPM @ Rated RPM	2500	2500
PTO On-Off	Push Button - Electric Actuation	Push Button - Electric Actuation
Hydraulic System		
Lift Capacity at Hitch/Frame	500Kg	500Kg
Pump Output	28.7 lpm	28.7 lpm
Three Point Linkage	ISO 730 Category 1	ISO 730 Category 1
Capacities		
Fuel Tank	25 Litres	25 Litres

2126 HST

2863mm

1383mm

2377mm

1560mm

340 + 10mm (Below Rear Housing)

980Kg

Turf 8.5 x 14, IND 8.5 x 14, Farm 7 x 12

Turf 13.6 x 16, IND 12.4 x 16, Farm 12.4 x 16

Four-Stroke, Water Cooled,
Natural Aspirated, IDI, Diesel

MVS3L2-462MM

3

1318cc

25.3 @ 2500rpm

2500 rpm

Independent Wet Clutch

HST

3 Range HST

Hydrostatic Power Steering

Independent PTO

18.8

540

2500

Push Button - Electric Actuation

800Kg

42.3 lpm

SAE Category 1

22 Litres

Engineered for enhanced power and performance, Mahindra ensures robust engine capabilities, superior fuel efficiency, and consistent output even in the most demanding field conditions.

MAHINDRA OJA 1100 & 2100 SERIES

**1100
2100****No Diesel Particulate Filter Means**

- No Regen Downtime
- No Wasted warranty Hours
- Fewer Parts to Replace
- No Wasted fuel
- Quieter Operation

**NO
DPF**

***Operating Weight (Approx)** Basic tractor including fuel, oil, coolant, hydraulic system, three point linkage, transmission, PTO, lighting and wheel without ROPS and seat.

MOWER DECK SPECIFICATIONS

Mower Deck	Sub Compact M1160	Compact M2160
Tractor Required	OJA 1123, 1126	OJA 2126
Cutting Width	60 inches Side Discharge	60 inches Side Discharge
Overall Width	74 inches	74 inches
Cutting Height Range	1 to 4 inches	1 to 4 inches
Cutting Height Adjustment Method	3pt. linkage and dial	3pt. linkage and dial
Cutting Height Minimum Adjustment	0.25 inches	0.25 inches
Deck Shell Thickness	10 Gauge	10 Gauge
Number of Blades	3	3

LOADER SPECIFICATIONS

Loader Series	OJA SC - 1123, 1126	OJA C - 2126
Max Lift Height at Bucket Pivot Pin	1860mm	2094mm
Dump Clearance	1292mm	1590mm
Overall Height in Carry Position	1100mm	1090mm
Dump Angle in Degrees	43°	41°
Digging Depth	80mm	80mm
Bucket Width	1397mm	1397mm
Bucket Volume	0.18m³	0.18m³
Lift Capacity to Max Height at Pivot Pins	350Kg	490Kg
Lift Capacity 500mm Further to Bucket Pivot Pins	420Kg	580Kg
Breakout Force at Pivot Pins	630Kgf	730Kgf
Front End Loader Weight	180Kg	224Kg



6
T&Cs Apply

6 YEAR POWERTRAIN WARRANTY

MAHINDRA OJA

3 YEAR COMPREHENSIVE WARRANTY

Comprehensive Warranty

Every Mahindra OJA Series tractor is backed by a powerful warranty you can count on. Enjoy a 6-year powertrain warranty along with a 3-year comprehensive warranty, offering exceptional coverage and long-term peace of mind.

With Mahindra, you're not just getting to work; you're working with a partner you can trust.



Mahindra Automotive Australia Pty Ltd
Trading as Mahindra Ag and Auto Australia.
1/39 Distribution Street, Larapinta, Brisbane QLD 4110

No.1 TRACTOR COMPANY
IN THE WORLD BY VOLUME*

mahindraag.com.au

VERSATILITY

Designed to handle a range of implements and tasks.

Whether you're managing detailed landscaping, maintaining a larger property, or working in tight, challenging spaces, the Mahindra OJA Compact Series adapts seamlessly to your needs. It offers the ideal blend of agility, power, and advanced technology - perfect for light property upkeep to demanding tasks on expansive blocks.



*Refer to www.mahindraag.com.au for the full PDS on our Warranty Terms and Conditions.